


FACTSHEET WELL Building Standard[™]





See how Rockfon acoustic ceiling tiles, baffles, islands and wall applications satisfy WELL requirements.

Sounds Beautiful

Wellbeing

Human health is only as strong as the environment around us. People who do not feel well cannot work or sleep well, which is why the materials you select for your building are so crucial to health and wellbeing. Workplaces flourish when our leaders prioritize the health and wellbeing of their most valuable asset: people. At Rockfon we are proud that our products positively contribute to a healthy indoor environment – from improving air quality to acoustic and aesthetic performance, whether in domestic, business, educational or even medical spaces.

The WELL Building Standard aims to "lead the global movement to transform our buildings and communities in ways that help people thrive." It serves as an excellent certification for both the well-being of occupants and the overall performance of buildings. The Standard is performance-based, involving measurement, certification and monitoring. Rockfon can support you to implement the WELL Building Standard[™].

Building on the ground-breaking original version, WELL Building Standard[™] Version 2 draws expertise from a diverse community of experts around the world. The rating system is based on 10 unique concepts, each made up of several features. Each feature aims to be evidence-based, verifiable, implementable and presented for outside input. Some features are 'preconditions', which means they are mandatory for certification. Other features are considered 'optimizations,' and can earn varying additional point values. Rockfon products can contribute to alignment with preconditions and the additional optimizations.

10 concepts AIR WATER LIGHT SOUND MIND **MATERIALS MOVEMENT** COMMUNITY

NOURISHMENT



DISCLAIMER: The points gained in each feature are not solely dependent upon the performance of Rockfon products. Rockfon products merely help towards the goal of achieving the credits but they are not a stand alone element. Rockfon shall not guarantee or be held liable for non-fulfilment of the credits which can include a broader assessment of construction products and building elements.

The following gives an overview of the ways in which we help you achieve your WELL Building Standard performance goals through Rockfon solutions.

1. AIR concept

WELL features establish requirements in buildings that promote clean air and reduce or minimize the sources of indoor air pollution.

| Feature | Compliance | WELL intent | Rockfon's contribution | Resources |
|--|--------------|--|---|--|
| A01.2 Meet Thresholds for Organic Gases | Precondition | To ensure acceptable level of indoor air quality, based on quidelines from | a acceptable Rockfon ceiling products have a low release of VOCs and are classified in Class E1 in accordance with EN 13964 - EN 717-1. Rockfon products have been awarded demanding indoor climate labels like the French VOC A+, Finnish M1, Blue Angel, Singapore Green Building Product Certificate, and the Danish Indoor Climate Label. The emission levels are established according to EN 16516-1:2018 testing method. Image: Comparison of the test of t | Our <u>product datasheets</u> inform on relevant indoor air emission labels. For additional information <u>contact</u> your local technical support. |
| A01.5 Measure air parameters | Precondition | public health authorities. | | Letter of Assurance (LOA) – Contractor (template from WELL). |
| A04.1 Construction Pollution Management | Precondition | To minimize the introduction of construction related pollutants into indoor air, remediate contamination and protect building products from degradation. | Rockfon products are resistant to relative humidity up to 100% and to sagging as no deflection is visible in high humidity. The property specific applied test is the flexural tensile strength test, Annex F in EN 13964:2014. Remember to protect Rockfon Panels in designated areas protected from dust during construction. | Our <u>product datasheets</u> inform on relevant indoor air emission labels. For additional information <u>contact</u> your local technical support. |
| A05.2 Meet Enhanced Thresholds for Organic Gases | Optimization | To provide enhanced air quality levels, beyond current guidelines. | Rockfon products carry demanding indoor air quality labels to ensure low off-gassing from the products. | Professional narrative provided by WELL consultant. Our <u>product</u> <u>datasheets</u> inform on relevant indoor air emission labels. For additional information <u>contact</u> your local technical support. |

2. WATER concept

WELL features include the availability and contaminant thresholds of drinking water and also the management of water to avoid damage to building materials and environmental conditions.

| Feature | Compliance | WELL intent | Rockfon's contribution | Resources |
|---|--------------|---|---|--|
| W07.2 Design Interiors for Moisture Management | Optimization | Limit the potential for bacteria and mold growth within buildings from water infiltration, condensation and internal leaks. | Rockfon products can be installed prior to the building being enclosed (not including France). Ceiling and wall products resist the growth of mold and bacteria without having to add a specific biocide. Our Declaration of Performance (DoP) according to EN 13964:2014 show the performance "A – not susceptible to the growth of harmful micro-organisms". The property specific applied test standard is ASTM C 1338-96 (Standard Test Method for Determining Fungi Resistance of Insulation Materials and Facings). | Our <u>product datasheets</u> inform on hygiene. For additional information <u>contact</u> your local technical support. |

3. LIGHT concept

WELL features provide guidelines to create lighting environments that promote visual, mental and psychological health.

| Feature | Compliance | WELL intent | Rockfon's contribution | Resources |
|-------------------------------------|--------------|--|--|--|
| L01.1 Provide Indoor Light | Precondition | Provide indoor light exposure through daylight and electric light strategies. | Rockfon products' high light reflectance assists with achieving desired lighting performance and ranges of light reflectance without increasing energy consumption or glare. Rockfon Blanka®, for example, has a light reflection of 87% and light diffusion >99%. Higher LRVs mean that your surface reflects more light from the source, resulting in maximum light intensity, which promotes alertness and activity. | Our <u>product datasheets</u> inform on light reflection and light diffusion values. For additional information <u>contact</u> your local technical support. |
| L02.1 Provide Visual Acuity | Precondition | Provide visual comfort and enhance visual acuity for all users. | Rockfon ceiling and wall products with high light reflection and diffusion enhance your indirect lighting by improving overall lighting uniformity. Rockfon Blanka, for example, has a light reflection of 87% and light diffusion >99%. The white surface has a whiteness (L value) of 94.5, tested in accordance with ISO 7724. Our coloured range (Rockfon colour-all [®]) is specifically focused on wellbeing, by using colours and textures that are calming and found in nature. | Our product datasheets inform on light reflection and light diffusion values. For additional information <u>contact</u> your local technical support. |
| L06.1 Daylight Simulation | Optimization | Ensure indoor daylight exposure through daylight simulation strategies. | Our high light reflection products have been shown to increase luminance levels in simulated models. The high-end surfaces of Rockfon products provide exceptionally balanced light diffusion. | Our <u>product datasheets</u> inform on light reflection and light diffusion values. For additional information <u>contact</u> your local technical support. |

4. SOUND concept

WELL features identify and mitigate acoustical comfort parameters in order to bolster occupant health and well-being.

| Feature | Compliance | WELL intent | Rockfon's contribution | Resources |
|--|--------------|---|--|---|
| S02.1 Maximum noise levels | Optimization | To achieve desired ambient noise levels, such as that noise sources do not impact occupant health and well-being. | Our products are highly sound absorptive, significantly reducing reverberation time and increasing speech intelligibility. The majority of our products are sound absorption class A according to ISO 11654, and represents an α_w value between 0.9 and 1.0. | Our product datasheets inform on sound absorption levels and class. For additional information <u>contact</u> your local technical support. |
| S03.1 Design for Sound Isolation at walls and doors | Optimization | To increase the level of sound isolation and speech privacy between enclosed | Our insulation solutions installed in partitions provide sound isolation e.g. in space over partition walls. | Our <u>product datasheets</u> for dB solutions inform on specific sound isolation improvement when using these products. |
| S03.2 Achieve Sound Isolation at walls | Optimization | spaces. | | |
| S04.1 Achieve Reverberation Time Thresholds | Optimization | To help maintain comfortable sound levels with comfortable reverberation times that support speech intelligibility, vocal effort and are conducive to concentration. | Our products are highly sound absorptive, significantly reducing reverberation time and increasing speech intelligibility. | Our <u>product datasheets</u> inform on sound absorption levels. |
| S05.1To reduce the buildup of speech and other unwanted sound by sour reducing surfaces | | of speech and other unwanted sound by sound | Rockfon ceiling solutions ranges from Alpha-w 0.70–1.00 making it possible to fulfill both tier 1 and tier 2 of feature S05.1 | Our <u>product datasheets</u> inform on sound absorption levels. |

5. MATERIALS concept

It aims to reduce human exposure to chemicals that may impact health during the construction, remodelling, furnishing and operation of buildings.

| Feature | Compliance | WELL intent | Rockfon's contribution | Resources |
|--|--------------|--|---|---|
| X01.1 Precondition Restrict asbestos | | To reduce exposure to construction materials known to be hazardous | All materials used in Rockfon products are screened against the list of substances restricted under REACH, as well as the technical checklist The Priority List. Rockfon products do not contain substances of very high concern (SVHC) Rockfon stone wool fibres comply with safe fibre EU regulation, hold a EUCEB certification and do not contain any asbestos fibers. | LOA – Designer (template from WELL). Our <u>product datasheets</u> inform on material health. |
| X01.2 Restrict Mercury | Precondition | To reduce exposure to construction materials known to be hazardous | All materials used in Rockfon products are screened against the list of substances restricted under REACH, as well as the technical checklist The Priority List. Rockfon products do not contain substances of very high concern (SVHC). Rockfon solutions do not contain any mercury. | LOA – Contractor (template from WELL). Our <u>product datasheets</u> inform on material health. |
| X01.3 Restrict lead | Precondition | To reduce exposure to construction materials known to be hazardous | All materials used in Rockfon products are screened against the list of substances restricted under REACH, as well as the technical checklist The Priority List. Rockfon products do not contain substances of very high concern (SVHC). Rockfon solutions do not contain any lead. | LOA – Contractor (template from WELL). Our product datasheets inform on material health. |
| X05.2 Select Compliant Architectural and Interior Products | Optimization | Minimize exposure to certain chemicals by limiting their presence in products. | All materials used in Rockfon products are screened against the list of substances restricted under REACH, as well as the technical checklist The Priority List. Rockfon products do not contain substances of very high concern (SVHC). Rockfon solutions do not contain any halogenated flame retardants or phthalates. | LOA – contractor (template from WELL). Our <u>product datasheets</u> inform on relevant indoor air emission labels. For additional information <u>contact</u> your local technical support. |
| X06.2 Restrict VOC Emissions From Furniture, Architectural and Interior Products | Optimization | Minimize the impacts of VOC compounds in indoor air quality. | The French VOC A/A+, Finnish M1, Blue Angel, Singapore Green Building Product Certificate, and the Danish Indoor Climate Label. Emission levels are established according to EN 16516-1:2018 testing method. Contact us if you need specific information about the product you are interested in. | LOA – contractor (template from WELL). Check our product datasheets for information on Cradle-to- Cradle Certified® levels For additional information <u>contact</u> your local technicalsupport. |
| X07.1 Select Products with Disclosed Ingredients | Optimization | Help differentiate safer ingredients and products and encourage supply chain transparency. | Most of our products are Cradle-to-Cradle Certified to Bronze and Silver include requirements for disclosed ingredients. | + LOA – contractor Check our <u>product datasheets</u> for information on Cradle-to- Cradle Certified levels. |
| X07.3 Select Products with Third-Party Verified Ingredients | Optimization | Help differentiate safer ingredients and products and encourage supply chain transparency. | Most of our products are Cradle-to-Cradle Certified to Bronze and Silver include third party verified material health assessment. | Check our product datasheets for information on Cradle-to- Cradle Certified levels |
| X08.1 Select Materials with Enhanced Chemical Restrictions | Optimization | Restrict the use of hazardous ingredient contents in materials and products. | Most of our products are Cradle-to-Cradle Certified to Bronze and Silver include third party verified material health assessment based on list of substances down to 100 ppm. | Check our product datasheets for information on Cradle-to- Cradle Certified levels |
| X08.2 Select Optimized Products | Optimization | Restrict the use of hazardous ingredient contents in materials and products. | We offer a wide range of products that have been certified Silver Cradle-to-Cradle in the Material Health category. | Professional narrative provided by WELL consultant. Check our biophilic acoustic design solutions at <u>Soundsbeautiful.com</u> |

6. MIND concept

WELL features optimize cognitive and emotional health through design, technology and treatment strategies.

| Feature | Compliance | WELL intent | Rockfon's contribution | Resources |
|--|--------------|--|---|---|
| M02.1 Provide Connection to Nature | Optimization | Support the well-being of occupants by incorporating the natural elements through the project. | Our design range products as Rockfon [®] Senses and Rockfon [®] Lamella [™] draw on biophilic references and materials providing connection to nature. Our flexible monolithic solution, Rockfon Mono [®] Acoustic, can also be shaped into unique natural forms. | Our <u>product datasheets</u> inform on sound absorption levels. Our brochure on our <u>Colours of Wellbeing</u> introduce to the benefits of our coloured range. |
| M07.1 Provide Restorative Space | Optimization | Support access to spaces that provide relief from mental fatigue or stress. | Our acoustic ceiling solutions are highly sound absorptive, ensuring a good acoustic environment for relaxation and restoration. Our coloured range (Rockfon colour-all [®]) is specifically focused on wellbeing, by using colours and textures that are calming and found in nature. | Innovation form provided by WELL consultant. See also brochure on our <u>Colours of Wellbeing</u> . |

7. INNOVATION concept

WELL encourages innovation by allowing projects to submit ideas for new features under WELL concepts.

| Feature | Compliance | WELL intent | Rockfon's contribution | Resources |
|--------------------------------|--------------|---|--|---|
| IO1.1 Promote Innovation | Optimization | To promote the continuous evolution of the Standard by enabling projects to propose a new feature that addresses health and wellness in a novel way. | Our products can actually help you exceed the current requirements of this WELL feature. We are continuously innovating new applications that create the best spaces. Please contact us if you would like to scope and achieve an innovative feature together. | Innovation form provided by WELL consultant. Please <u>contact</u> us if you would like to scope and achieve an innovative feature together. |

Sounds Beautiful

